


# XGTT125C(6015L-10)

## 外形尺寸 DIMENSIONS




\* 可变换的其他安装方式同我们协商 Mounting possibilities Consult us

平头系列 Topless

# XGTT125C(6015L-10)

技术状态 STATUS




H 吊钩高度 Height of hook

● 工作状态 In service

■ 非工作状态 Out of service

⚠ 最大臂长最大独立高度时的整机自重 (不含配重、压重、吊重)



## 附着 ANCHORAGES



\* 如需达到更高的高度, 请与我们联系! For greater heights, consult us!





# XGTT125C(6015L-10)

## 起重特性 LOAD DIAGRAMS

起重臂 (m) jib	R <sub>min</sub>	R (C <sub>max</sub> )	C <sub>max</sub>	幅度 (m) Range										
				15	20	25	30	35	40	45	50	55	60	
60m		2.6	25.44	5t	5000			3980	3266	2733	2321	1992	1723	1500
		2.6	13.97	10t	8993	6399	4871	3864	3150	2617	2204	1875	1607	1384
55m		2.6	28	5t	5000			4493	3704	3116	2660	2296	2000	
		2.6	14.5	10t	10000	7177	5489	4376	3587	2999	2543	2180	1884	
50m		2.6	28.7	5t	5000			4835	3996	3371	2886	2500		
		2.6	15.5	10t	10000	7696	5901	4718	3880	3254	2770	2384		
45m		2.6	30.53	5t	5000			4401	3724	3200				
		2.6	15.95	10t	10000	8145	6473	5192	4285	3608	3084			
40m		2.6	31.3	5t	5000			4488	3800					
		2.6	16.3	10t	10000	8569	6595	5294	4372	3684				
35m		2.6	31.8	5t	5000			4500						
		2.6	16.7	10t	10000	8590	6612	5300	4384					
30m		2.6	32.5	5t	5000									
		2.6	16.9	10t	10000	8705	6703	5300						

★ 其他起重性能需求，请与我们联系！ Another lifting capacity, consult us!

## 配重配置 BALLAST

Counter-jib ballast		 3200 (kg) / 1600 (kg) / 1000 (kg)			
		 (kg)	PZ3200	PZ1600	PZ1000
60m	16 m	15400	4	1	1
55m	16 m	14400	4	1	0
50m	16 m	13800	4	0	1
45m	16 m	12800	4	0	0
40m	16 m	11200	3	1	0
35m	16 m	9600	2	1	1
30m	16 m	8000	2	1	0

# XGTT125C(6015L-10)

## 传动机构 Mechanisms

机构 Mechanisms	图例 Example	机构代号 Model	速度 (m/min) Speed	起重量 (t) Hoist Weight	绳容量 Rope Capacity	功率 (kW) Power	
起升 Hoisting		45JLF25A		0~40	5	615m  > 615m *	45
				0~60	3.5		
				0~80	1.7		
				0~20	10		
				0~30	7		
				0~40	3.5		
变幅 Trolleying		4JXF4	0~58m/min		4.0		
回转 Slewing		JH08T6	0~0.6r/min		2x5.5		
行走 Travelling		RT	0~25m/min		4x4		
电源 Main Supply					~380(±10%) 50Hz		
总功率 (不含顶升和行走)			Gross Power (Excluding climbing and travelling)		60kw		

★ 请与我们联系 Consult us, Please!

本样册技术参数不受法律约束, 具体以相应产品说明书为准

These brochure of specifications and data are not legally binding, specific instructions please based on our product manuals.

V. 2017-06B1